

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--------------------------------|---|------------------|---------|------------------|
| S75 7 | 1572 | thiosemicarbazone | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:21 |
| S75 8 | 76168 | vaccine | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:21 |
| S75 9 | 132321 | adjuvant | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:21 |
| S76 0 | 2 | S757 same S758 same S759 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:24 |
| S76 1 | 14 | paul.in. near3 barsanti.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:24 |
| S76 2 | 11 | nathan.in. near3 brammeier.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:25 |
| S76 3 | 3 | anthony.in. near3 diebes.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:26 |
| S76 4 | 21 | liana.in. near3 lagniton.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:26 |
| S76 5 | 28 | simon.in. near3 ng.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:27 |
| S76 6 | 32 | Zhi-Jie.in. near3 Ni.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:28 |
| S76 7 | 3 | Casey.in. near3 Philbin.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:29 |

EAST Search History

| | | | | | | |
|----------|----|---------------------------------|---|-----|----|------------------|
| S76 8 | 21 | Nicholas.in. near3 Valiante.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:32 |
| S76 9 | 28 | Allan.in. near3 Wagman.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:33 |
| S77 0 | 29 | Weibo.in. near3 Wang.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/05/15 14:33 |

STICSearch_SEQID2.txt

RESULT 3

AAB14903

ID AAB14903 standard; peptide; 24 AA.

XX

AC AAB14903;

XX

DT 08-JAN-2001 (first entry)

XX

DE Ht31 peptide.

XX

KW Calcineurin-binding peptide; A-kinase anchor protein; AKAP; AKAP 79;
KW immunostimulant; interleukin 2 expression modulation; graft rejection;
KW transplantation; T cell-mediated disorder.

XX

OS Unidentified.

XX

PN US6107104-A.

XX

PD 22-AUG-2000.

XX

PF 27-SEP-1996; 96US-00721458.

XX

PR 23-NOV-1994; 94US-00344227.

PR 15-MAR-1995; 95US-00404731.

PR 17-JUL-1995; 95US-00503226.

XX

PA (ICOS-) ICOS CORP.

XX

PI Lockerbie RO, Gallatin WM, Lai Y, Howard ML;

XX

DR WPI; 2000-578541/54.

XX

PT Novel calcineurin deletion mutant having calcineurin polypeptide sequence
PT and binding A-kinase anchor proteins, for treating graft rejection
PT following organ transplantation and T cell-mediated disorders.

XX

PS Example 9; Col 5-6; 53pp; English.

XX

CC The present sequence was used in an example to demonstrate that
CC association of cAMP-dependent protein kinase (PKA) with an anchoring
CC protein in T cells modulates IL-2 production. A-kinase anchoring protein
CC 79 (AKAP 79) binds both PKA and calcineurin and so co-localises a kinase
CC and a phosphatase that may regulate flux through a specific signalling
CC pathway. Calcineurin is a Ca²⁺/calmodulin-dependent protein phosphatase
CC which is involved in many intracellular signalling pathways. It
CC participates in regulation of IL-2 expression following T cell
CC stimulation in T cells. Calcineurin-binding peptides derived from AKAP 79
CC may be used to inhibit calcineurin activity in a cell. The peptides are
CC useful for treating graft rejection following organ transplantation and
CC for treating T cell-mediated disorders. Calcineurin deletion mutants
CC which bind AKAP 79 are useful for defining an AKAP 79 binding site, for
CC stimulating the immune response, stimulating activated T cells for
CC selected clonal expansion, or for enhancing T cell responses to
CC experimental stimuli for evaluation of early events in T cell biology and
CC activation of the immune response

XX

SQ Sequence 24 AA;

Query Match 100.0%; Score 111; DB 3; Length 24;

Best Local Similarity 100.0%; Pred. No. 2.1e-10;

Matches 24; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 DLIEEAASRIVDAVIEQVKAAGAY 24

|||||

Db 1 DLIEEAASRIVDAVIEQVKAAGAY 24

STICSearchStrategy.txt

=> d que 152

```
L2      869 SEA FILE=REGISTRY ABB=ON PLU=ON (100708-37-0/BI OR
101091-29-6/BI OR 103907-05-7/BI OR 108-49-6/BI OR
109-09-1/BI OR 165047-24-5/BI OR 1722-12-9/BI OR 17532-19-3
/BI OR 17754-90-4/BI OR 22078-59-7/BI OR 22725-58-2/BI OR
23945-44-0/BI OR 2417-72-3/BI OR 2929-81-9/BI OR 301176-96-
5/BI OR 301176-97-6/BI OR 301202-34-6/BI OR 301348-19-6/BI
OR 301348-20-9/BI OR 301348-21-0/BI OR 301349-64-4/BI OR
301349-65-5/BI OR 301350-41-4/BI OR 301351-29-1/BI OR
302563-23-1/BI OR 302564-39-2/BI OR 302564-43-8/BI OR
302564-45-0/BI OR 303058-86-8/BI OR 303759-55-9/BI OR
303782-53-8/BI OR 309277-46-1/BI OR 316130-78-6/BI OR
316136-61-5/BI OR 326901-08-0/BI OR 33342-19-7/BI OR
33342-21-1/BI OR 340220-71-5/BI OR 340226-07-5/BI OR
340299-81-2/BI OR 340309-70-8/BI OR 340316-53-2/BI OR
343591-25-3/BI OR 344944-35-0/BI OR 345616-23-1/BI OR
34721-90-9/BI OR 34721-92-1/BI OR 34721-94-3/BI OR
347335-07-3/BI OR 348594-85-4/BI OR 354535-04-9/BI OR
355414-88-9/BI OR 3608-75-1/BI OR 3608-81-9/BI OR 371941-52
-5/BI OR 3731-53-1/BI OR 375361-02-7/BI OR 38594-22-8/BI
OR 403657-28-3/BI OR 413571-56-9/BI OR 418783-85-4/BI OR
420816-07-5/BI OR 443144-51-2/BI OR 464207-10-1/BI OR
468749-49-7/BI OR 51940-64-8/BI OR 56621-48-8/BI OR
60698-40-0/BI OR 64248-62-0/BI OR 6839-88-9/BI OR 6868-27-5
/BI OR 6868-28-6/BI OR 69045-79-0/BI OR 712349-33-2/BI OR
725726-27-2/BI OR 725726-28-3/BI OR 725726-29-4/BI OR
725726-30-7/BI OR 725726-31-8/BI OR 725726-32-9/BI OR
725726-33-0/BI OR 725726-34-1/BI OR 725726-35-2/BI OR
725726-36-3/BI OR 725726-37-4/BI OR 725726-38-5/BI OR
725726-39-6/BI OR 725726-40-9/BI OR 725726-41-0/BI OR
725726-42-1/BI OR 725726-43-2/BI OR 725726-44-3/BI OR
725726-45-4/BI OR 725726-46-5/BI OR 725726-47-6/BI OR
725726-48-7/BI OR 725726-49-8/BI OR 725726-50-1/BI OR
725726-51-2/BI OR 725726-52-3/BI OR 725726-53-4/BI OR
725726-
L7      244 SEA FILE=REGISTRY ABB=ON PLU=ON "C7 H8 N4 S"/MF
L8      1 SEA FILE=REGISTRY ABB=ON PLU=ON L2 AND L7
L11     STR
```

NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE
 L13 6896 SEA FILE=REGISTRY SSS FUL L11
 L16 189 SEA FILE=HCAPLUS ABB=ON PLU=ON L8
 L17 17 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 AND THU/RL
 L22 STR

VAR G1=X/9/11/N/AK
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

STICSearchStrategy.txt

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 12

STEREO ATTRIBUTES: NONE

L24 4889 SEA FILE=REGISTRY SUB=L13 SSS FUL L22
L25 2905 SEA FILE=HCAPLUS ABB=ON PLU=ON L24
L33 45 SEA FILE=HCAPLUS ABB=ON PLU=ON BARSANTI, P?/AU
L34 6 SEA FILE=HCAPLUS ABB=ON PLU=ON BRAMMEIER, N?/AU
L35 5 SEA FILE=HCAPLUS ABB=ON PLU=ON DIEBES, A?/AU
L36 12 SEA FILE=HCAPLUS ABB=ON PLU=ON LAGNITON, L?/AU
L37 2474 SEA FILE=HCAPLUS ABB=ON PLU=ON NG, S?/AU
L38 881 SEA FILE=HCAPLUS ABB=ON PLU=ON NI, Z?/AU
L39 257 SEA FILE=HCAPLUS ABB=ON PLU=ON PFISTER, K?/AU
L40 17 SEA FILE=HCAPLUS ABB=ON PLU=ON PHILBIN, C?/AU
L41 54 SEA FILE=HCAPLUS ABB=ON PLU=ON VALIANTE, N?/AU
L42 49 SEA FILE=HCAPLUS ABB=ON PLU=ON WAGMAN, A?/AU
L43 23333 SEA FILE=HCAPLUS ABB=ON PLU=ON WANG, W?/AU
L44 456 SEA FILE=HCAPLUS ABB=ON PLU=ON WEINER, A?/AU
L45 8 SEA FILE=HCAPLUS ABB=ON PLU=ON (L33 OR L34 OR L35 OR L36
OR L37 OR L38 OR L39 OR L40 OR L41 OR L42 OR L43 OR L44)
AND L25
L46 16 SEA FILE=HCAPLUS ABB=ON PLU=ON L17 NOT L45
L49 98 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 AND PREP/RL
L50 24 SEA FILE=HCAPLUS ABB=ON PLU=ON L49 AND PHARM?/SC,SX
L51 23 SEA FILE=HCAPLUS ABB=ON PLU=ON L50 NOT L45
L52 34 SEA FILE=HCAPLUS ABB=ON PLU=ON L51 OR L46

L52 ANSWER 34 OF 34 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1971:11774 HCAPLUS Full-text

DOCUMENT NUMBER: 74:11774

TITLE: Carcinostatic activity of thiosemicarbazones of
formyl heteroaromatic compounds. VII.
2-Formylpyridine derivatives bearing additional
ring substituents

AUTHOR(S): French, Frederic A.; Blanz, Erwin J., Jr.;
DoAmaral, Jefferson R.; French, Douglas A.

CORPORATE SOURCE: Chemother. Res. Lab., Mt. Zion Hosp. Med. Center,
Palo Alto, CA, USA

SOURCE: Journal of Medicinal Chemistry (1970), 13(6),
1124-30

CODEN: JMCMAR; ISSN: 0022-2623

DOCUMENT TYPE: Journal

LANGUAGE: English

ED Entered STN: 12 May 1984

GI For diagram(s), see printed CA Issue.

AB Sixteen 5-substituted-2-formylpyridine thiosemicarbazones were synthesized and tested

for antitumor activity against 5 mouse tumor systems, such as L-1210 leukemia and the Lewis
lung carcinoma. The I, II, and III were extremely potent inhibitors of tumor-derived
ribonucleotide diphosphate reductase and inhibited the synthesis of DNA. At 100 mg/kg/day
i.p., I had a broad spectrum of antitumor activity in addition to a significant cure rate in

L-1210 leukemia.

IT 3608-75-1
(neoplasm inhibition by)

RN 3608-75-1 HCAPLUS

CN Hydrazinecarbothioamide, 2-(2-pyridinylmethylene)- (CA INDEX NAME)

DialogSearchStrategy.txt

? b 155,10,5,73,34

[File 155] MEDLINE(R) 1950-2007/May 11

(c) format only 2007 Dialog. All rights reserved.

[File 10] AGRICOLA 70-2007/May

(c) format only 2007 Dialog. All rights reserved.

[File 5] Biosis Previews(R) 1926-2007/May W1

(c) 2007 The Thomson Corporation. All rights reserved.

*File 5: BIOSIS has been enhanced with archival data. Please see HELP NEWS 5 for information.

[File 73] EMBASE 1974-2007/May 10

(c) 2007 Elsevier B.V. All rights reserved.

[File 34] SciSearch(R) Cited Ref Sci 1990-2007/Apr W4

(c) 2007 The Thomson Corp. All rights reserved.

? d s

| Set | Items | Description |
|-----|--------|---|
| S1 | 4663 | S THIOSEMICARBAZONE |
| S2 | 391079 | S VACCINE |
| S3 | 391079 | S VACCINE |
| S4 | 241856 | S ADJUVANT |
| S5 | 0 | S S1 (S) S2 (S) S4 |
| S6 | 0 | S S1 AND S2 AND S4 |
| S7 | 0 | S S1 (S) S4 |
| S8 | 4 | S S1 AND S4 |
| S9 | 4 | RD (unique items) |
| S10 | 14 | S "PYRIDINE-2-CARBALDEHYDE THIOSEMICARBAZONE" |
| S11 | 14 | RD (unique items) |
| S12 | 0 | S S4 AND S11 |